


**What's this
Flower ?**



**It's
Alfresco !**



An Open Source ECM Solution




Put in a nutshell , this is...



An extensible..



...Framework...





...Based on Open Source components...



...Compliant with standards...



The **Apache Software Foundation**

<http://www.apache.org/>



**...Under an
Open source
license...**



...for Enterprise Content Management




Where is the Problem ?



Curious people who want to understand Alfresco...




**With lots of questions...
(To express...)**




A possible solution...



Simply a presenter with presentations about Alfresco




with a few answers...
(To verify)




Let's do it !



Is it possible to learn more about the fundamentals?




OK! Let's begin at the beginning...



First, here is a principle...

(Everything is NODE!)



Each node has...



Me, I'm green...



I'm of kind Rose!



Me... Blue.. Blue...



My type is red.



Black is my type!



Here... Nothing...

I'm violet!



**These types qualify
nodes with**



I have 3 properties!

**As far as I am concerned,
I have 9 properties...**

4 properties for myself...

Only one...

Me... I don't know...

Here... Still Nothing

**I have too many
properties !!!**


**And also relations
(mandatory or not) with other
nodes through...**



There are two kinds of association family

- **Hierarchical associations (parent / child)**
- **Associations (source/target)**
- *NB : A node always has a father!!!*





Each node lives in...




A store is characterized by


- **One root node**
- **One protocol**
- **One identifier**



I am the Store of green, blue and black. My name is "Store 1" and my protocol is "Protocol 1"




Rose, red and purple are in me. Call Me "Store 2" with "Protocol 2"




**Each node can share
properties and associations
through a common...**



I do not have any aspect



I have no aspect too...



I have the same properties than blue

I have the same associations than black


**Each type, aspect, node,
association are defined by...**




**My green type is defined by the QName:
{http://www.opensourcecm.fr/model/couleur/1.0}GreenType**




**The type of association is defined by the QName :
{http://www.opensourcecm.fr/model/couleur/1.0}ColorAssociation**



**The aspect owns a QName type
{http://www.opensourcecm.fr/model/couleur/1.0}ColorAspect**



Me, I understand anything!



A QName can be seen in several formats

- **Extended**

- {<http://www.opensourceecm.fr/model/couleur/1.0>}
ColorAspect

- **Reduced**


- **opensourceecm:ColorAspect**




**It is possible to add actions to
a node with**



**If black is changed,
I have to modify one of
my properties**




**If anyone remove a
node, I must create a
black node**




**If anyone create a
relationship with
purple, I add an aspect
to purple.**


**To identify and report a single
node in a store, we used...**



**My UUID is
042a3267-99ef-11dc-829
4-09c8841d3064**




**My UUID is
046ce0d6-99ef-11dc-8
294-09c8841d3064**




I won't tell you anything!

**The concatenation of the store
protocol, store name and node
UUID creates...**



**My NodeRef is
Procole1://Store1/042a3267-99ef
-11dc-8294-09c8841d3064**




**Me, I'm
procole2://Store2/046ce0d6
-99ef-11dc-8294-09c8841d306**

4




No, i still dont wanna tell you


**Except colors,
what else... ?**



Back to reality...




What happens when you add content to Alfresco?



There is a node creation!

(Everything is NODE!)




How to create a node...




Define

- **A parent**
- **An association (QName + Name) between a node and its parent**
- **Node type (QName)**
- **Node properties (QName + Value)**

How to create a node...



How to create a node...



How to create a node...

**My Association
QName is :
cm:contains**


**My association name
is :
{http://www.alfresco.
org/model/content/1.
0}fichier.txt**

**There is an
association
between my father
and me**

**In this case, it's a
ChildAssociation**



How to create a node...



How to create a node...

**My title is
« fichier.txt » (QName : cm:title)**

**Since the day I was
born, I have
properties...**


**Ma date of birth is Thu
Jul 17 22:28:21 CEST
2008 (QName :
cm:created)**

**But I have no
description**


How to create a node...



**OK... And in Alfresco, how
can we see it ?**



**Use the Node
Browser...**



Node Brower...



**Connect with
« admin » role in
Alfresco**


Click in this icon 

**Next, choose Node
Browser**

Now, the proof in Alfresco!



Type



Node Identifier

Primary Path: {http://www.alfresco.org/model/application/1.0}company_home/{http://www.alfresco.org/model/content/1.0}Folder1

Reference: workspace://SpacesStore/fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7

Type: {http://www.alfresco.org/model/content/1.0}folder

Parent: workspace://SpacesStore/d2767254-543d-11dd-ad8e-8751b4a60bd7

Properties

Name	Value	Property Type	Value Type	Residual
{http://www.alfresco.org/model/application/1.0}icon	space-icon-default	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}description		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/system/1.0}node-uuid	fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}node-dbid	457	{http://www.alfresco.org/model/dictionary/1.0}long		false
{http://www.alfresco.org/model/content/1.0}title		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/content/1.0}created	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}modifier	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}modified	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}creator	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-protocol	workspace	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}name	Folder1	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-identifier	SpacesStore	{http://www.alfresco.org/model/dictionary/1.0}text		false

Aspects

- {http://www.alfresco.org/model/content/1.0}auditable
- {http://www.alfresco.org/model/application/1.0}uifacets
- {http://www.alfresco.org/model/system/1.0}referenceable

Permissions

Inherit: true

Assigned Permission **To Authority** **Access**

Children

Child Name	Child Node	Primary	Association Type	Index
{http://www.alfresco.org/model/content/1.0}fichier.txt	workspace://SpacesStore/11996b0d-5440-11dd-ad8e-8751b4a60bd7	true	{http://www.alfresco.org/model/content/1.0}contains	0


Associations

To Node **Association Type**

Now, the proof in Alfresco!



Properties



Node Identifier

Primary Path: {http://www.alfresco.org/model/application/1.0}company_home/{http://www.alfresco.org/model/content/1.0}Folder1

Reference: workspace://SpacesStore/fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7

Type: {http://www.alfresco.org/model/content/1.0}folder

Parent: workspace://SpacesStore/d2787254-543d-11dd-ad8e-8751b4a60bd7

Properties

Name	Value	Property Type	Value Type	Residual
{http://www.alfresco.org/model/application/1.0}icon	space-icon-default	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}description		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/system/1.0}node-uuid	fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}node-dbid	457	{http://www.alfresco.org/model/dictionary/1.0}long		false
{http://www.alfresco.org/model/content/1.0}title		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/content/1.0}created	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}modifier	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}modified	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}creator	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-protocol	workspace	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}name	Folder1	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-identifier	SpacesStore	{http://www.alfresco.org/model/dictionary/1.0}text		false

Aspects

{http://www.alfresco.org/model/content/1.0}auditable
{http://www.alfresco.org/model/application/1.0}uifacets
{http://www.alfresco.org/model/system/1.0}referenceable

Permissions

Inherit: true

Assigned Permission **To Authority** **Access**


Children

Child Name	Child Node	Primary	Association Type	Index
{http://www.alfresco.org/model/content/1.0}fichier.txt	workspace://SpacesStore/11996b0d-5440-11dd-ad8e-8751b4a60bd7	true	{http://www.alfresco.org/model/content/1.0}contains	0

Associations

To Node **Association Type**

Now, the proof in Alfresco!



Node Identifier

Primary Path: {http://www.alfresco.org/model/application/1.0}company_home/{http://www.alfresco.org/model/content/1.0}Folder1

Reference: workspace://SpacesStore/fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7

Type: {http://www.alfresco.org/model/content/1.0}folder

Parent: workspace://SpacesStore/d2787254-543d-11dd-ad8e-8751b4a60bd7

Properties

Name	Value	Property Type	Value Type	Residual
{http://www.alfresco.org/model/application/1.0}icon	space-icon-default	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}description		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/system/1.0}node-uuid	fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}node-dbid	457	{http://www.alfresco.org/model/dictionary/1.0}long		false
{http://www.alfresco.org/model/content/1.0}title		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/content/1.0}created	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}modifier	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}modified	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}creator	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-protocol	workspace	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}name	Folder1	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-identifier	SpacesStore	{http://www.alfresco.org/model/dictionary/1.0}text		false

Aspects

- {http://www.alfresco.org/model/content/1.0}auditable
- {http://www.alfresco.org/model/application/1.0}uifacets
- {http://www.alfresco.org/model/system/1.0}referenceable

Permissions

Inherit: true

Assigned Permission **To Authority** **Access**

Children

Child Name	Child Node	Primary	Association Type	Index
{http://www.alfresco.org/model/content/1.0}fichier.txt	workspace://SpacesStore/11996b0d-5440-11dd-ad8e-8751b4a60bd7	true	{http://www.alfresco.org/model/content/1.0}contains	0


Associations

To Node **Association Type**

Now, the proof in Alfresco!



Aspects



Node Identifier

Primary Path: {http://www.alfresco.org/model/application/1.0}company_home/{http://www.alfresco.org/model/content/1.0}Folder1

Reference: workspace://SpacesStore/fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7

Type: {http://www.alfresco.org/model/content/1.0}folder

Parent: workspace://SpacesStore/d2787254-543d-11dd-ad8e-8751b4a60bd7

Properties

Name	Value	Property Type	Value Type	Residual
{http://www.alfresco.org/model/application/1.0}icon	space-icon-default	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}description		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/system/1.0}node-uuid	fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}node-dbid	457	{http://www.alfresco.org/model/dictionary/1.0}long		false
{http://www.alfresco.org/model/content/1.0}title		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/content/1.0}created	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}modifier	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}modified	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}creator	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-protocol	workspace	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}name	Folder1	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-identifier	SpacesStore	{http://www.alfresco.org/model/dictionary/1.0}text		false

Aspects

- {http://www.alfresco.org/model/content/1.0}auditable
- {http://www.alfresco.org/model/application/1.0}uifacets
- {http://www.alfresco.org/model/system/1.0}referenceable

Permissions

Inherit: true

Assigned Permission **To Authority** **Access**


Children

Child Name	Child Node	Primary	Association Type	Index
{http://www.alfresco.org/model/content/1.0}fichier.txt	workspace://SpacesStore/11996b0d-5440-11dd-ad8e-8751b4a60bd7	true	{http://www.alfresco.org/model/content/1.0}contains	0

Associations

To Node **Association Type**

Now, the proof in Alfresco!



Node Identifier

Primary Path: {http://www.alfresco.org/model/application/1.0}company_home/{http://www.alfresco.org/model/content/1.0}Folder1

Reference: workspace://SpacesStore/fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7

Type: {http://www.alfresco.org/model/content/1.0}folder

Parent: workspace://SpacesStore/d2787254-543d-11dd-ad8e-8751b4a60bd7

Properties

Name	Value	Property Type	Value Type	Residual
{http://www.alfresco.org/model/application/1.0}icon	space-icon-default	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}description		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/system/1.0}node-uuid	fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}node-dbid	457	{http://www.alfresco.org/model/dictionary/1.0}long		false
{http://www.alfresco.org/model/content/1.0}title		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/content/1.0}created	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}modifier	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}modified	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}creator	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-protocol	workspace	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}name	Folder1	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-identifier	SpacesStore	{http://www.alfresco.org/model/dictionary/1.0}text		false

Aspects

- {http://www.alfresco.org/model/content/1.0}auditable
- {http://www.alfresco.org/model/application/1.0}uifacets
- {http://www.alfresco.org/model/system/1.0}referenceable

Permissions

Inherit: true

Assigned Permission **To Authority** **Access**

Children

Child Name	Child Node	Primary	Association Type	Index
{http://www.alfresco.org/model/content/1.0}fichier.txt	workspace://SpacesStore/11996b0d-5440-11dd-ad8e-8751b4a60bd7	true	{http://www.alfresco.org/model/content/1.0}contains	0


Associations

To Node **Association Type**

Now, the proof in Alfresco!



NodeRef



Node Identifier

Primary Path: {http://www.alfresco.org/model/application/1.0}company_home/{http://www.alfresco.org/model/content/1.0}Folder1
Reference: workspace://SpacesStore/fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7
Type: {http://www.alfresco.org/model/content/1.0}folder
Parent: workspace://SpacesStore/d2787254-543d-11dd-ad8e-8751b4a60bd7

Properties

Name	Value	Property Type	Value Type	Residual
{http://www.alfresco.org/model/application/1.0}icon	space-icon-default	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}description		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/system/1.0}node-uuid	fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}node-dbid	457	{http://www.alfresco.org/model/dictionary/1.0}long		false
{http://www.alfresco.org/model/content/1.0}title		{http://www.alfresco.org/model/dictionary/1.0}mltext		false
{http://www.alfresco.org/model/content/1.0}created	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}modifier	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}modified	Thu Jul 17 22:36:08 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}datetime		false
{http://www.alfresco.org/model/content/1.0}creator	admin	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-protocol	workspace	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/content/1.0}name	Folder1	{http://www.alfresco.org/model/dictionary/1.0}text		false
{http://www.alfresco.org/model/system/1.0}store-identifier	SpacesStore	{http://www.alfresco.org/model/dictionary/1.0}text		false

Aspects

{http://www.alfresco.org/model/content/1.0}auditable
{http://www.alfresco.org/model/application/1.0}uifacets
{http://www.alfresco.org/model/system/1.0}referenceable

Permissions

Inherit: true

Assigned Permission **To Authority** **Access**


Children

Child Name	Child Node	Primary	Association Type	Index
{http://www.alfresco.org/model/content/1.0}fichier.ct	workspace://SpacesStore/11996b0d-5440-11dd-ad8e-8751b4a60bd7	true	{http://www.alfresco.org/model/content/1.0}contains	0

Associations

To Node **Association Type**

Now, the proof in Alfresco!



Node Identifier

Primary Path: {http://www.alfresco.org/model/application/1.0}company_home/{http://www.alfresco.org/model/content/1.0}Folder1/{http://www.alfresco.org/model/content/1.0}fichier.txt

Reference: workspace://SpacesStore/11996b0d-5440-11dd-ad8e-8751b4a60bd7

Type: {http://www.alfresco.org/model/content/1.0}content

Parent: workspace://SpacesStore/fc7ee3f8-543f-11dd-ad8e-8751b4a60bd7

Properties

Name	Value	Property Type
{http://www.alfresco.org/model/application/1.0}editInline	true	{http://www.alfresco.org/model/dictionary/1.0}bool
{http://www.alfresco.org/model/content/1.0}description		{http://www.alfresco.org/model/dictionary/1.0}mte
{http://www.alfresco.org/model/system/1.0}node-uuid	11996b0d-5440-11dd-ad8e-8751b4a60bd7	{http://www.alfresco.org/model/dictionary/1.0}text
{http://www.alfresco.org/model/system/1.0}node-dbid	458	{http://www.alfresco.org/model/dictionary/1.0}long
{http://www.alfresco.org/model/content/1.0}content	contentUrl=store://2008/7/17/22/36/119bdc10-5440-11dd-ad8e-8751b4a60bd7.bin mimetype=text/plain size=0 encoding=UTF-8 locale=fr_FR_	{http://www.alfresco.org/model/dictionary/1.0}cont
{http://www.alfresco.org/model/content/1.0}title	fichier.txt	{http://www.alfresco.org/model/dictionary/1.0}mte
{http://www.alfresco.org/model/content/1.0}author		{http://www.alfresco.org/model/dictionary/1.0}text
{http://www.alfresco.org/model/content/1.0}created	Thu Jul 17 22:36:44 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}date
{http://www.alfresco.org/model/content/1.0}modifier	admin	{http://www.alfresco.org/model/dictionary/1.0}text
{http://www.alfresco.org/model/content/1.0}modified	Thu Jul 17 22:36:45 CEST 2008	{http://www.alfresco.org/model/dictionary/1.0}date
{http://www.alfresco.org/model/content/1.0}creator	admin	{http://www.alfresco.org/model/dictionary/1.0}text
{http://www.alfresco.org/model/system/1.0}store-protocol	workspace	{http://www.alfresco.org/model/dictionary/1.0}text
{http://www.alfresco.org/model/content/1.0}name	fichier.txt	{http://www.alfresco.org/model/dictionary/1.0}text
{http://www.alfresco.org/model/system/1.0}store-identifier	SpacesStore	{http://www.alfresco.org/model/dictionary/1.0}text

Aspects


{http://www.alfresco.org/model/content/1.0}titled
{http://www.alfresco.org/model/content/1.0}auditable
{http://www.alfresco.org/model/system/1.0}referenceable
{http://www.alfresco.org/model/content/1.0}author
{http://www.alfresco.org/model/application/1.0}inlineeditable

Permissions

Inherit: true

Assigned Permission **To Authority** **Access**

Any questions ???



**For the next meeting
maybe...**




To be continued...



**Now what if I want to
manage my nodes?**




**Let's explore the
notion of service...**



**And if I want to share the
content?**



**You can use
protocols ...**



**So if you want to
learn...**



...To go fast...



**...and to reach
your goals ...**



Choose Open Source ECM



Alfresco in few points...

Par JM.PASCAL

www.opensourceecm.fr

&

www.open-source-ecm.com

